

Article Print o Versio	date	40-14-1 20.10.2021 7.74	Härter für Aqua 2K Revision date 20.03 Issue date 20.05.20	5.2021	EN Page 1 / 8	
SEC	TION 1: Ide	entification of the	substance/mixtu	re and of the company/	undertaking	
1.1.	Product id	entifier				
		(manufacturer/supp e/designation	ier):	40-14-1 Härter für Aqua 2K-Whiteb	oardfarbe	
1.2.		0	e substance or mix	ture and uses advised aga		
		sed against: ny other information				
1.3.	Details of t	the supplier of the	safety data sheet			
	•••	<b>nanufacturer/impo</b> n GmbH u. Co., KG	ter/only representa	tive/downstream user/dist	ributor)	
	Hochstade			Telephone: +49 2641 3897	7-0	
	D-53474 Ba	ad Neuenahr-Ahrwe	iler	Telefax: +49 2641 3897-28	•	
	-			Homepage: www.jansen.de	e	
	Departmer laboratory	nt responsible for i	formation:			
	E-mail (con	npetent person)		sicherheitsdatenblatt@jans	sen.de	
1.4.		y telephone numbe	r			
	•••	telephone number ble during office hou	Irs.	+49 2641 3897-51		
050						

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Acute Tox. 4 / H332	Acute toxicity (inhalative)	Harmful if inhaled.
Skin Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.

#### 2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Warning

## Hazard statements

H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Precautionary staten	nents
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye/face protection.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to industrial incineration plant.

## Hazard components for labelling

Hexamethylendiisocyanat, oligomers (iminooxadiazindion typ)

#### Supplemental hazard information

- Contains isocyanates. May produce an allergic reaction.
- EUH204 2.3. Other hazards

No information available.

## **SECTION 3: Composition / information on ingredients**



ticle No.: int date ersion	40-14-1 20.10.2021 7.74	Härter für Aqua 2K-Whiteboardfarbe Revision date 20.05.2021 Issue date 20.05.2021 Pa	EN Page 2 / 8	
Descrip	tion Aliph	natic polyisocyana		
Classifie	cation according	o Regulation (EC) No 1272/2008 [CLP]		
EC No.	REA	CH No.		
CAS No	. Des	ignation	weight-%	
Index No	o. clas	sification: // Remark		
931-297	-3 01-2	119488934-20		
	Hexa	amethylendiisocyanat, oligomers (iminooxadiazindion typ	) 70 - 100	
	Acut	e Tox. 4 H332 / Skin Sens. 1 H317 / STOT SE 3 H335	5	
Addition	nal information			

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

## After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Unsuitable extinguishing media

strong water jet

## 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Cool closed containers that are near the source of the fire.

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing



Article No .:	40-14-1	Härter für Agua 2K-Whiteboardfarbe		
Print date Version	20.10.2021 7.74	Revision date 20.05.2021 Issue date 20.05.2021	EN Dago 2 / 8	
VEISION	1.14	1550E UALE 20.05.2021	Page 3 / 8	

agents. Do not use solvents.

## 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Further information

Vapours are heavier than air. Vapours form explosive mixtures with air.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 8 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Occupational exposure limit values

No data available

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

## Personal protection equipment

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the weartime limits as specified by the manufacturer. Recommended respiratory protection articles : Inadequately ventilated workplaces and spraying procedures are necessary. Fresh air mask or short-time work combination filter A2-P2 are recommended.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Wear closely fitting protective glasses in case of splashes.



Version 7.74 Issue date 20.05.2021 Page 4 / 8	Article No.: Print date	40-14-1 20.10.2021	Härter für Aqua 2K-Whiteboardfarbe Revision date 20.05.2021	EN	
	Version	7.74	Issue date 20.05.2021	Page 4 / 8	

#### Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	Appearance:	
	Physical state:	Liquid
	Appearance: Colour:	Liquid colourless
	Odour:	characteristic
	Odour threshold:	No data available
	pH at 20 °C:	No data available
	Melting point/freezing point:	No data available
	Initial boiling point and boiling range:	No data available
	Flash point:	186 °C
		Method: EN ISO 1523
	Evaporation rate:	No data available
	flammability	
	Burning time:	No data available
	Upper/lower flammability or explosive limits:	
	Lower explosion limit:	No data available
	Upper explosion limit:	No data available
	Vapour pressure at 20 °C:	No data available
	Vapour density:	No data available
	Relative density:	1 15 m/om3
	Density at 20 °C:	1,15 g/cm <sup>3</sup> Method: DIN 53217
	Solubility(ies):	
	Water solubility at 20 °C:	completely miscible
	Partition coefficient: n-octanol/water:	see section 12
	Auto-ignition temperature:	No data available
	Decomposition temperature:	No data available
	Viscosity at °C:	flüssig
	Explosive properties:	No data available
	Oxidising properties:	No data available
0.0	••••	NO GALA AVAIIADIE
9.2.	Other information	
	Solid content:	100 weight-%
	solvent content:	0 weight %
	Organic solvents: Water:	0 weight-% 0 weight-%
0.00	TION 10: Stability and reactivity	

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions



Article No.:	40-14-1	Härter für Aqua 2K-Whiteboardfa	be	
Print date	20.10.2021	Revision date 20.05.2021	EN	
Version	7.74	Issue date 20.05.2021	Page 5 / 8	
Keep awa 10.4. <b>Conditio</b>		s, strong bases and strong oxidizing a	gents to avoid exothermic reactions.	

Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5. Incompatible materials

not applicable

## 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

### **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

### 11.1. Information on toxicological effects

### Acute toxicity

Harmful if inhaled.

Härter für Aqua 2K-Whiteboardfarbe inhalative (dust and mist), LC50, Rat (4 h)

## Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

## STOT-single exposure; STOT-repeated exposure

May cause respiratory irritation.

Härter für Aqua 2K-Whiteboardfarbe Specific target organ toxicity (single exposure), Irritation

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

## **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

## **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Toxicological data are not available.

## 12.3. Bioaccumulative potential

Toxicological data are not available.



Article No.:	40-14-1	Härter für Agua 2K-Whiteboardfarbe		
Print date	20.10.2021	Revision date 20.05.2021	EN	
Version	7.74	Issue date 20.05.2021	Page 6 / 8	

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Appropriate disposal / Product

## Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

## List of proposed waste codes/waste designations in accordance with EWC

080111\* Waste paint and varnish containing organic solvents or other dangerous substances \*Hazardous waste according to Directive 2008/98/EC (waste framework directive).

## Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

## **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

#### 14.1. UN number

		No data available
14.2.	UN proper shipping name	
14.3.	Transport hazard class(es)	
		No data available
14.4.	Packing group	
		No data available
14.5.	Environmental hazards	
	Land transport (ADR/RID)	No data available
	Marine pollutant	No data available
14.6.	Special precautions for user	
	Transport always in closed, upright and safe cor case of an accident or leakage. Advices on safe handling: see parts 6 - 8	tainers. Make sure that persons transporting the product know what to do in
	Further information	
	Land transport (ADR/RID)	
	tunnel restriction code	-
	Sea transport (IMDG)	
	EmS-No.	No data available
14.7.	Transport in bulk according to Annex II of Ma	rpol and the IBC Code
	not applicable	
SEC	TION 15: Regulatory information	

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds



Article No.:	40-14-1	Härter für Aqua 2K-Whiteboardfarbe	
Print date	20.10.2021	Revision date 20.05.2021	EN
Version	7.74	Issue date 20.05.2021	Page 7 / 8

VOC product category: (Cat. A/j) ; VOC limit value: 140 g/l

Maximum VOC content (g/L) of the product in a ready to use condition: 140

## National regulations

#### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

#### 15.2. Chemical Safety Assessment

#### For the following substances of this mixture a chemical safety assessment has been carried out:

Designation	REACH No.
Hexamethylendiisocyanat, oligomers (iminooxadiazindion typ)	01-2119488934-20
	Hexamethylendiisocyanat, oligomers (iminooxadiazindion typ)

## **SECTION 16: Other information**

Full text of classification in section 3:				
Acute Tox. 4 / H332	Acute toxicity (inhalative)	Harmful if inhaled.		
Skin Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.		
STOT SE 3 / H335	STOT-single exposure	May cause respiratory irritation.		
Classification procedure				
Classification for mix	tures and used evaluation method according to	regulation (EC) No 1272/2008 [CLP]		
Acute Tox. 4	Acute toxicity (inhalative)	Calculation method.		
Skin Sens. 1	Respiratory or skin sensitisation	Calculation method.		
STOT SE 3	STOT-single exposure	Calculation method.		
Abbreviations and acronyms				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
OEL	Occupational Exposure Limit Value			
BLV	Biological Limit Value			
CAS	Chemical Abstracts Service			
CLP	Classification, Labelling and Packaging			
CMR	Carcinogenic, Mutagenic and Reprotoxic			
DIN	German Institute for Standardization / German industrial standard			
DNEL	Derived No-Effect Level			
EAKV	European Waste Catalogue Directive			
EC	Effective Concentration			
EC	European Community			
EN	European Standard			
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations			
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk			
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous			
	Goods by Air			
IMDG Code	International Maritime Code for Dangerous Goods			
ISO LC	International Organization for Standardization			
LC LD	Lethal Concentration			
MARPOL	Lethal Dose Maritime Ballution, The International Convention for the Brayantian of Ballution from Shine			
OECD	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships			
PBT	Organisation for Economic Cooperation and Development persistent, bioaccumulative, toxic			
PNEC	Predicted No Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
UN	United Nations			
VOC	Volatile Organic Compounds			
vOC vPvB	volatile Organic Compounds very persistent and very bioaccumulative			
	very persistent and very bloaccumulative			

#### Data sources:

Data arise from reference works and literature.

#### **Further information**

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be



Article No.:	40-14-1	Härter für Aqua 2K-Whiteboardfarbe
Print date	20.10.2021	Revision date 20.05.2021
Version	7 74	Issue date 20.05.2021
version	1.14	

EN Page 8 / 8

regarded as guaranteed attributes of the product.

\* Data changed compared with the previous version